

AC25 - AC64 **Shock Absorbers**




SHREE SAI TECH,


25-1, Raja Annamalai Road, New Nesavalur Colony,
Saibabacolony, Coimbatore, Tamil Nau, India -641011
Ph.: - +91-6385584152 / E-Mail: - sstcbe22@gmail.com
www.shreesaitech.in



Dimensions table - AC self-compensation series **ESSTEE**



Model	Description	Thread	Stroke	A	B	C	D	E	F	G	H	I
			mm									
AC2525	Standard	M25*1.5	25	154.5	111	104	8	18.5	22	/	32	10
AC2530	Standard	M25*1.5	30	159.5	111	104	8	18.5	22	/	32	10
AC2550	Standard	M25*1.5	50	230.5	162	155	8	18.5	22	/	32	10
AC2580	Standard	M25*1.5	80	298.5	200	193	8	18.5	22	/	32	10



Dimensions table - AC self-compensation series **ESSTEE**

Model	Description	Thread	Stroke mm	A	B	C	D	E	F	G	H	I
AC2540	Standard	M25*1.5	40	213.8	137	120	8	36.8	22	10	32	10
AC3325	Standard	M33*1.5	25	153.5	106.5	89	10	22	29	10	41	10
AC3350	Standard	M33*1.5	50	222	150	125.5	10	22	29	17	41	10
AC3625	Standard	M36*1.5	25	159.5	106.5	89	10	28	35.5	10	46	12
AC3650	Standard	M36*1.5	50	228	150	125.5	10	28	35.5	17	46	12
AC3660	Standard	M36*1.5	60	238	150	125.5	10	28	35.5	17	46	12
AC4225	Standard	M42*1.5	25	177.8	118.8	95.5	12	34	44.5	15.8	50	12
AC4250	Standard	M42*1.5	50	232.6	148.6	125.3	12	34	44.5	15.8	50	12
AC4275	Standard	M42*1.5	75	287.8	178.8	155.5	12	34	44.5	15.8	50	12
AC4525	Standard	M45*1.5	25	177.8	118.8	95.5	12	34	44.5	15.8	55	8
AC4550	Standard	M45*1.5	50	232.6	148.6	125.3	12	34	44.5	15.8	55	8
AC4575	Standard	M45*1.5	75	287.8	178.8	155.5	12	34	44.5	15.8	55	8
AC64025	Standard	M64*2.0	25	189.3	112.5	106.5	20	51.8	59	/	77	9
AC64050	Standard	M64*2.0	50	256.3	154.5	148.5	20	51.8	59	/	77	9
AC64100	Standard	M64*2.0	100	356.3	204.5	198.5	20	51.8	59	/	77	9
AC64150	Standard	M64*2.0	150	476.8	262.5	256.5	20	64.3	59	/	77	9

Model	Description	Stroke	Energy Per Cycle	Energy Per Hour	Effective Weight			Impact Speed(m/s)			Temperature
		mm	Nm	Nm	-1 High Speed	-2 Middle Speed	-3 Low Speed	-1 High Speed	-2 Middle Speed	-3 Low Speed	°C
AC2525	Standard	25	89	57000	200	800	1300	4	2	1	-45 ~ +80
AC2525-S	Standard	25	89	52000		300			4		-45 ~ +80
AC2530	Standard	30	98	60000	200	800	1300	4	2	1	-45 ~ +80
AC2540	Standard	40	115	75000	300	900	1400	4	2	1	-45 ~ +80
AC2550	Standard	50	135	90000	200	1100	1600	4	2	1	-45 ~ +80
AC2580	Standard	80	160	100000	300	1200	1800	4	2	1	-45 ~ +80
AC2708-M	-M Compact	8	26	24000		300			3		-45 ~ +80
AC2725	Standard	25	130	75000	400	1000	2200	4	2	1	-45 ~ +80
AC2725-S	-S series	25	147	72000		500			4		-45 ~ +80
AC2750	Standard	50	250	95000	800	1900	3500	4	2	1	-45 ~ +80
AC3009-S	-S Compact	9	40	70000		550			3		-45 ~ +80
AC3035	Standard	35	205	90600	600	1500	2500	4	2	1	-45 ~ +80
AC3213-S	-S Compact	13	75	90000		650			3		-45 ~ +80
AC3325	Standard	25	180	100000	720	2000	2880	4	2	1	-45 ~ +80
AC3350	Standard	50	300	120000	1200	3300	4800	4	2	1	-45 ~ +80
AC3625	Standard	25	220	135000	880	2400	3500	4	2	1	-45 ~ +80
AC3650	Standard	50	350	150000	1400	2500	5600	4	2	1	-45 ~ +80
AC3660	Standard	60	360	150000	1400	2500	5600	4	2	1	-45 ~ +80
AC4225	Standard	25	300	125000	1100	2300	5500	4	2	1	-45 ~ +80
AC4250	Standard	50	600	160000	1400	2700	6500	4	2	1	-45 ~ +80
AC4275	Standard	75	900	180000	1800	3120	7500	4	2	1	-45 ~ +80
AC4525	Standard	25	300	160000	1100	2300	5500	4	2	1	-45 ~ +80
AC4550	Standard	50	600	180000	1400	2700	6500	4	2	1	-45 ~ +80
AC4575	Standard	75	900	200000	1800	3120	7500	4	2	1	-45 ~ +80
AC64025	Standard	25	1050	150000	1900	5000	11000	4	2	1	-45 ~ +80
AC64050	Standard	50	1500	165000	2000	5000	11000	4	2	1	-45 ~ +80
AC64100	Standard	100	2800	220000	3000	6000	12000	4	2	1	-45 ~ +80
AC64150	Standard	150	4200	260000	3500	7000	13000	4	2	1	-45 ~ +80

SHREE SAI TECH,

25-1, Raja Annamalai Road, New Nesavalur Colony,

Saibabacolony, Coimbatore, Tamil Nau, India -641011

Ph.: - +91-6385584152 / E-Mail: - sstcbe22@gmail.com

www.shreesaitech.in

